Heredity **87** (2001) 712–716

Author index

Aguinagalde, Itziar *see* Mohanty, Aparajita
Aguirre, A. *see* Fullaondo, A.
Allnutt, T.R. *see* Premoli, A.C.
Almodóvar, Ana *see* Suárez, Juan
Alves, M.J., Coelho, H., Collares-Pereira, M.J. & Coelho, M.M. Mitochondrial DNA variation in the highly endangered cyprinid fish *Anaecypris hispanica*: importance for conservation, **463**
Amos, William & Balmford, Andrew. When does conservation genetics matter? **257**
Atkinson, Rachel J. *see* Rokas, Antonis

Ball, Shelley L. Tychoparthenogenesis and mixed mating in natural populations of the mayfly *Stenonema femoratum*, **373**
Balmford, Andrew *see* Amos, William
Bandou, Eric *see* Degen, Bernd
Barragán, María José L. *see* Fernández, Rosa
Barrena, I. *see* Fullaondo, A.
Bautista, José M. *see* Suárez, Juan
Båvik, Claes O. *see* Tazi-Ahnini, Rachid
Beardmore, John A. *see* Gajardo, Gonzalo
Beebee, Trevor J.C. *see* Rowe, Graham
Bell, Graham *see* Koelewijn, Hans P.
Bell, J.A. *see* Ridout, M.S.
Beslay, Dominique *see* Bouvier, Jean-Charles
Bidau, Claudio J., Giménez, Mabel D., Palmer, Christianne L. & Searle, Jeremy B. The effects of Robertsonian fusions on chiasma frequency and distribution in the house mouse (*Mus musculus domesticus*) from a hybrid zone in northern Scotland, **305**
Blanc, J.M. *see* Dupont-Nivet, M.
Boecklen, William J. *see* Williams, Joseph H.
Boivin, Thomas *see* Bouvier, Jean-Charles
Bonilauri, Paolo *see* Gandolfi, Andrea
Bonnet, J.C. *see* Dupont-Nivet, M.
Bonnin, I. *see* Vandenkoornhuyse, P.
Bouchon, Didier *see* Gouin, Nicolas
Bouchon, Didier *see* Michel-Salzat, Alice
Boudinhon, Liliane *see* Bouvier, Jean-Charles
Bouvier, Jean-Charles, Buès, Robert, Boivin, Thomas, Boudinhon, Liliane, Beslay, Dominique & Sauphanor, Benoît. Deltamethrin resistance in the codling moth (Lepidoptera: Tortricidae): inheritance and number of genes involved, **456**
Brakefield, Paul M. *see* Wijngaarden, Pieter J.
Britton, James E.R. *see* Tazi-Ahnini, Rachid
Brown, Gordon S. *see* Rokas, Antonis
Brown, William D. *see* Keller, Laurent
Buès, Robert *see* Bouvier, Jean-Charles
Bullejos, Mónica *see* Fernández, Rosa
Burton, Tracy L. & Husband, Brian C. Fecundity and offspring ploidy in matings among diploid, triploid and tetraploid *Chamerion angustifolium* (Onagraceae): consequences for tetraploid establishment, **573**
Byrne, M. *see* Hines, B.

Carmona, José A. *see* Perdices, Anabel
Caron, Henri *see* Degen, Bernd
Carvalho, G.R. *see* Hauser, L.
Chan, Helen *see* Gadau, Jürgen
Chapman, Tracey. Seminal fluid-mediated fitness traits in *Drosophila*, **511**
Chapuisat, Michel *see* Keller, Laurent
Chevallier, Marie Hélène *see* Degen, Bernd
Cheverud, James M. A simple correction for multiple comparisons in interval mapping genome scans, **52**
Chevillon, Christine *see* Gazave, Élodie
Coelho, H. *see* Alves, M.J.
Coelho, M.M. *see* Alves, M.J.
Collares-Pereira, M.J. *see* Alves, M.J.
Colombo, P.C., Pensel, S.M. & Remis, M.I. Chromosomal polymorphism, morphological traits and male mating success in *Leptysma argentina* (Orthoptera), **480**
Conn, Jan E. *see* Onyabe, David Y.
Cordaux, Richard *see* Michel-Salzat, Alice
Cork, Michael J. *see* Tazi-Ahnini, Rachid
Costagliola, Domenico *see* Rocco, Lucia
Cox, Angela *see* Tazi-Ahnini, Rachid

De La Guerie, Patrick *see* Koelewijn, Hans P.
De La Herrán, Roberto, Ruiz Rejón, Carmelo, Ruiz Rejón, Manuel & Garrido-Ramos, Manuel A. The molecular phylogeny of the Sparidae (Pisces: Perciformes) based on two satellite DNA families, **691**
De Las Heras, Jose I., King, Ian P. & Parker, John S. azacytidine induces chromosomal breakage in the root tips of wheat carrying the cuckoo chromosome $4S^L$ from *Aegilops sharonensis*, **474**
De Loose, Marc *see* Hardy, Olivier J.
Debussche, Max *see* Quilichini, Angélique
Degen, Bernd, Caron, Henri, Bandou, Eric, Maggia, Laurent, Chevallier, Marie Hélène, Leveau, Antoine & Kremer, Antoine. Fine-scale spatial genetic structure of eight tropical tree species as analysed by RAPDs, **497**
Díaz De La Guardia, Rafael *see* Fernández, Rosa
Diehl, Walter J. *see* Mcelroy, Thomas C.
Doadrio, Ignacio *see* Perdices, Anabel

Heredity **87** (2001) 712–716

Author index

Aguinagalde, Itziar *see* Mohanty, Aparajita
Aguirre, A. *see* Fullaondo, A.
Allnutt, T.R. *see* Premoli, A.C.
Almodóvar, Ana *see* Suárez, Juan
Alves, M.J., Coelho, H., Collares-Pereira, M.J. & Coelho, M.M. Mitochondrial DNA variation in the highly endangered cyprinid fish *Anaecypris hispanica*: importance for conservation, **463**
Amos, William & Balmford, Andrew. When does conservation genetics matter? **257**
Atkinson, Rachel J. *see* Rokas, Antonis

Ball, Shelley L. Tychoparthenogenesis and mixed mating in natural populations of the mayfly *Stenonema femoratum*, **373**
Balmford, Andrew *see* Amos, William
Bandou, Eric *see* Degen, Bernd
Barragán, María José L. *see* Fernández, Rosa
Barrena, I. *see* Fullaondo, A.
Bautista, José M. *see* Suárez, Juan
Båvik, Claes O. *see* Tazi-Ahnini, Rachid
Beardmore, John A. *see* Gajardo, Gonzalo
Beebee, Trevor J.C. *see* Rowe, Graham
Bell, Graham *see* Koelewijn, Hans P.
Bell, J.A. *see* Ridout, M.S.
Beslay, Dominique *see* Bouvier, Jean-Charles
Bidau, Claudio J., Giménez, Mabel D., Palmer, Christianne L. & Searle, Jeremy B. The effects of Robertsonian fusions on chiasma frequency and distribution in the house mouse (*Mus musculus domesticus*) from a hybrid zone in northern Scotland, **305**
Blanc, J.M. *see* Dupont-Nivet, M.
Boecklen, William J. *see* Williams, Joseph H.
Boivin, Thomas *see* Bouvier, Jean-Charles
Bonilauri, Paolo *see* Gandolfi, Andrea
Bonnet, J.C. *see* Dupont-Nivet, M.
Bonnin, I. *see* Vandenkoornhuyse, P.
Bouchon, Didier *see* Gouin, Nicolas
Bouchon, Didier *see* Michel-Salzat, Alice
Boudinhon, Liliane *see* Bouvier, Jean-Charles
Bouvier, Jean-Charles, Buès, Robert, Boivin, Thomas, Boudinhon, Liliane, Beslay, Dominique & Sauphanor, Benoît. Deltamethrin resistance in the codling moth (Lepidoptera: Tortricidae): inheritance and number of genes involved, **456**
Brakefield, Paul M. *see* Wijngaarden, Pieter J.
Britton, James E.R. *see* Tazi-Ahnini, Rachid
Brown, Gordon S. *see* Rokas, Antonis
Brown, William D. *see* Keller, Laurent
Buès, Robert *see* Bouvier, Jean-Charles
Bullejos, Mónica *see* Fernández, Rosa
Burton, Tracy L. & Husband, Brian C. Fecundity and offspring ploidy in matings among diploid, triploid and tetraploid *Chamerion angustifolium* (Onagraceae): consequences for tetraploid establishment, **573**
Byrne, M. *see* Hines, B.

Carmona, José A. *see* Perdices, Anabel
Caron, Henri *see* Degen, Bernd
Carvalho, G.R. *see* Hauser, L.
Chan, Helen *see* Gadau, Jürgen
Chapman, Tracey. Seminal fluid-mediated fitness traits in *Drosophila*, **511**
Chapuisat, Michel *see* Keller, Laurent
Chevallier, Marie Hélène *see* Degen, Bernd
Cheverud, James M. A simple correction for multiple comparisons in interval mapping genome scans, **52**
Chevillon, Christine *see* Gazave, Élodie
Coelho, H. *see* Alves, M.J.
Coelho, M.M. *see* Alves, M.J.
Collares-Pereira, M.J. *see* Alves, M.J.
Colombo, P.C., Pensel, S.M. & Remis, M.I. Chromosomal polymorphism, morphological traits and male mating success in *Leptysma argentina* (Orthoptera), **480**
Conn, Jan E. *see* Onyabe, David Y.
Cordaux, Richard *see* Michel-Salzat, Alice
Cork, Michael J. *see* Tazi-Ahnini, Rachid
Costagliola, Domenico *see* Rocco, Lucia
Cox, Angela *see* Tazi-Ahnini, Rachid

De La Guerie, Patrick *see* Koelewijn, Hans P.
De La Herrán, Roberto, Ruiz Rejón, Carmelo, Ruiz Rejón, Manuel & Garrido-Ramos, Manuel A. The molecular phylogeny of the Sparidae (Pisces: Perciformes) based on two satellite DNA families, **691**
De Las Heras, Jose I., King, Ian P. & Parker, John S. azacytidine induces chromosomal breakage in the root tips of wheat carrying the cuckoo chromosome $4S^L$ from *Aegilops sharonensis*, **474**
De Loose, Marc *see* Hardy, Olivier J.
Debussche, Max *see* Quilichini, Angélique
Degen, Bernd, Caron, Henri, Bandou, Eric, Maggia, Laurent, Chevallier, Marie Hélène, Leveau, Antoine & Kremer, Antoine. Fine-scale spatial genetic structure of eight tropical tree species as analysed by RAPDs, **497**
Díaz De La Guardia, Rafael *see* Fernández, Rosa
Diehl, Walter J. *see* Mcelroy, Thomas C.
Doadrio, Ignacio *see* Perdices, Anabel

Duff, Gordon W. *see* Tazi-Ahnini, Rachid
Dupont-Nivet, M., Mallard, J., Bonnet, J.C. & Blanc, J.M. Evolution of genetic variability in a population of the edible snail, *Helix aspersa* Müller, undergoing domestication and short-term selection, **129**

Failloux, Anna-Bella *see* Paupy, Christophe
Fernández, Rosa, Barragán, María José L., Bullejos, Mónica, Marchal, Juan Alberto, Martínez, Sergio, Díaz De La Guardia, Rafael & Sánchez, Antonio. Molecular and cytogenetic characterization of highly repeated DNA sequences in the vole *Microtus cabrerae*, **637**
Fernández-Delgado, Carlos *see* Perdices, Anabel
Fernández-Piedra, M.P. *see* Talavera, S.
Finston, Terrie L. *see* Hebert, Paul D.N.
Fleming, Theodore H. *see* Nassar, Jafet M.
Flood, Warren D. & Ruvinsky, Anatoly. Alternative splicing and expressivity of the $Axin^{Fu}$ allele in mice, **146**
Ford-Lloyd, Brian V., Newbury, H. John, Jackson, Michael T. & Virk, Parminder S. Genetic basis for co-adaptive gene complexes in rice (*Oryza sativa* L.) landraces, **530**
Frank, Steven A. Multiplicity of infection and the evolution of hybrid incompatibility in segmented viruses, **522**
Fujiyama, Naoyuki *see* Ueno, Hideki
Fullaondo, A., Vicario, A., Aguirre, A., Barrena, I. & Salazar, A. Quantitative analysis of two-dimensional gel electrophoresis protein patterns: a method for studying genetic relationships among *Globodera pallida* populations, **266**

Gadau, Jürgen, Gerloff, Christine U., Krüger, Nadia, Chan, Helen, Schmid-Hempel, Paul, Wille, Anja & Page Jr, Robert E. A linkage analysis of sex determination in *Bombus terrestris* (L.) (Hymenoptera: Apidea), **234**
Gage, Matthew J.G. *see* Morrow, Edward H.
Gajardo, Gonzalo, Beardmore, John A. & Sorgeloos, Patrick. International study on *Artemia*. LXII. Genomic relationships between *Artemia franciscana* and *A. persimilis*, inferred from chromocentre numbers, **172**
Gallo, L.A. *see* Marchelli, P.
Gandolfi, Andrea, Bonilauri, Paolo, Rossi, Valeria & Menozzi, Paolo. Intraindividual and intraspecies variability of ITS1 sequences in the ancient asexual *Darwinula stevensoni* (Crustacea: Ostracoda), **449**
Garrido-Ramos, Manuel A. *see* De La Herrán, Roberto
Gazave, Élodie, Chevillon, Christine, Lenormand, Thomas, Marquine, Maté & Raymond, Michel. Dissecting the cost of insecticide resistance genes during the overwintering period of the mosquito *Culex pipiens*, **441**
Gerloff, Christine U. *see* Gadau, Jürgen
Gibbs, P.E. *see* Talavera, S.
Gilchrist, A.S. *see* Kennington, W.J.
Giménez, Mabel D. *see* Bidau, Claudio J.
Girod, Romain *see* Paupy, Christophe
Goldstein, D.B. *see* Kennington, W.J.
Gouin, Nicolas, Grandjean, Frederic, Bouchon, Didier, Reynolds, Julian D. & Souty-Grosset, Catherine. Population genetic struture of the endangered freshwater crayfish, *Austropotamobius pallipes*, assessed using RAPD markers, **80**
Grandjean, Frederic *see* Gouin, Nicolas
Grant, B. Rosemary *see* Keller, Lukas F.
Grant, Peter R. *see* Keller, Lukas F.

Hamrick, J.L. *see* Nassar, Jafet M.
Hamrick, J.L. *see* Parker, Kathleen C.
Hardy, Olivier J., De Loose, Marc, Vekemans, Xavier & Meerts, Pierre. Allozyme segregation and inter-cytotype reproductive barriers in the polyploid complex *Centaurea jacea*, **136**
Hasegawa, Yuko *see* Ueno, Hidekii
Hauser, L., Turan, C. & Carvalho, G.R. Haplotype frequency distribution and discriminatory power of two mtDNA fragments in a marine pelagic teleost (Atlantic herring, *Clupea harengus*), **621**
Hebert, Paul D.N. & Finston, Terrie L. Macrogeographic patterns of breeding system diversity in the *Daphnia pulex* group from the United States and Mexico, **153**
Hedrick, Philip W. *see* Kalinowski, Steven T.
Heinze, Jürgen *see* Rüppell, Olav
Hines, B. & Byrne, M. Genetic differentiation between mallee and tree forms in the *Eucalyptus loxophleba* complex, **566**
Hirai, Yoshiyuki *see* Ishii, Kaori
Hogetsu, Taizo *see* Lian, Chunlan
Holderegger, Rolf *see* Landergott, Urs
Hölldobler, Bert *see* Rüppell, Olav
Howard, Daniel J. *see* Williams, Joseph H.
Hu, Xin-Sheng & Li, Bailian. Assessment of the ratio of pollen to seed flow in a cline for genetic variation in a quantitative trait, **400**
Hurst, Gregory D.D., Jiggins, Francis M. & Robinson, Sarah J.W. What causes inefficient transmission of male-killing *Wolbachia* in *Drosophila*?, **220**
Husband, Brian C. *see* Burton, Tracy L.

Irwin, Rebecca E. Field and allozyme studies investigating optimal mating success in two sympatric spring-ephemeral plants, *Trillium erectum* and *T. grandiflorum*, **178**
Ishii, Kaori, Hirai, Yoshiyuki, Katagiri, Chihiro & Kimura, Masahito T. Sexual isolation and cuticular hydrocarbons in *Drosophila elegans*, **392**

Jackson, Michael T. *see* Ford-Lloyd, Brian V.
Jankun, Malgorzata, Martinez, Paulino, Pardo, Belen G., Kirtiklis, Lech, Rab, Petr, Rabova, Maria & Sanchez, Laura. Ribosomal genes in Coregonid fishes (*Coregonus*

lavaretus, *C. albula* and *C. peled*) (Salmonidae): single and multiple nucleolus organizer regions, **672**
Jiggins, Francis M. *see* Hurst, Gregory D.D.
Johanneson, J. & Veith, M. Population history of *Eresus cinnaberinus* (Araneae: Eresidae) colour variants at a putative species transition, **114**
Jorde, Per Erik *see* Knutsen, Halvor

Kalinowski, Steven T. & Hedrick, Philip W. Estimation of linkage disequilibrium for loci with multiple alleles: basic approach and an application using data from bighorn sheep, **698**
Katagiri, Chihiro *see* Ishii, Kaori
Katakura, Haruo *see* Ueno, Hideki
Keller, Laurent, Liautard, Cathy, Reuter, Max, Brown, William D., Sundström, Lotta & Chapuisat, Michel. Sex ratio and *Wolbachia* infection in the ant *Formica exsecta*, **227**
Keller, Lukas F., Grant, Peter R., Grant, B. Rosemary & Petren, Kenneth. Heritability of morphological traits in Darwin's Finches: misidentified paternity and maternal effects, **325**
Kennington, W.J., Gilchrist, A.S., Goldstein, D.B. & Partridge, L. The genetic bases of divergence in desiccation and starvation resistance among tropical and temperate populations of *Drosophila melanogaster*, **363**
Kimura, Masahito T. *see* Ishii, Kaori
King, Ian P. *see* De Las Heras, Jose I.
Kirtiklis, Lech *see* Jankun, Malgorzata
Knutsen, Halvor, Knutsen, Jan Atle & Jorde, Per Erik. Genetic evidence for mixed origin of recolonized sea trout populations, **207**
Knutsen, Jan Atle *see* Knutsen, Halvor
Koelewijn, Hans P., De La Guerie, Patrick & Bell, Graham. Variation in growth rate in a natural assemblage of unicellular green soil algae, **162**
Kozlowski, Gregor *see* Landergott, Urs
Kremer, Antoine *see* Degen, Bernd
Krüger, Nadia *see* Gadau, Jürgen
Kunimi, Yasuhisa *see* Morimoto, Sayaka

Landergott, Urs, Holderegger, Rolf, Kozlowski, Gregor & Schneller, J. Jakob. Historical bottlenecks decrease genetic diversity in natural populations of *Dryopteris cristata*, **344**
Lenormand, Thomas *see* Gazave, Élodie
Leveau, Antoine *see* Degen, Bernd
Leyval, C. *see* Vandenkoornhuyse, P.
Li, Bailian *see* Hu, Xin-Sheng
Lian, Chunlan, Miwa, Makoto & Hogetsu, Taizo. Outcrossing and paternity analysis of *Pinus densiflora* (Japanese red pine) by microsatellite polymorphism, **88**
Liautard, Cathy *see* Keller, Laurent

Machordom, Annie *see* Suárez, Juan
Maggia, Laurent *see* Degen, Bernd
Makarieva, Anastassia M. Variance of protein heterozygosity in different species of mammals with respect to the number of loci studied, **41**
Mallard, J. *see* Dupont-Nivet, M.
Marchal, Juan Alberto *see* Fernández, Rosa
Marchelli, P. & Gallo, L.A. Genetic diversity and differentiation in a southern beech subjected to introgressive hybridization, **284**
Marec, František, Tothová, Alena, Sahara, Ken & Traut, Walther. Meiotic pairing of sex chromosome fragments and its relation to atypical transmission of a sex-linked marker in *Ephestia kuehniella* (Insecta: Lepidoptera), **659**
Marquine, Maté *see* Gazave, Élodie
Martín, Juan Pedro *see* Mohanty, Aparajita
Martínez, Paulino *see* Jankun, Malgorzata
Martínez, Sergio *see* Fernández, Rosa
Mcdonagh, Andrew J.G. *see* Tazi-Ahnini, Rachid
Mcelroy, Thomas C. & Diehl, Walter J. Heterosis in two closely related species of earthworm (*Eisenia fetida* and *E. andrei*), **598**
Mclain, Denson Kelly. Evolution of transcript structure and base competition of rDNA expansion segment *D3* in ticks, **544**
Mcvean, Gilean A.T. What do patterns of genetic variability reveal about mitochondrial recombination?, **613**
Meerts, Pierre *see* Hardy, Olivier J.
Menozzi, Paolo *see* Gandolfi, Andrea
Messenger, Andrew G. *see* Tazi-Ahnini, Rachid
Michel-Salzat, Alice, Cordaux, Richard & Bouchon, Didier. *Wolbachia* diversity in the *Porcellionides pruinosus* complex of species (Crustacea: Oniscidea): evidence for host-dependent patterns of infection, **428**
Miller, Gary T., Starmer, William T. & Pitnick, Scott. Quantitative genetics of seminal receptacle length in *Drosophila melanogaster*, **25**
Mitchell-Olds, Thomas *see* Sharbel, Timothy F.
Miwa, Makoto *see* Lian, Chunlan
Mohanty, Aparajita, Martín, Juan Pedro & Aguinagalde, Itziar. A population genetic analysis of chloroplast DNA in wild populations of *Prunus avium* L. in Europe, **421**
Morimoto, Sayaka, Nakai, Madoka, Ono, Akiko & Kunimi, Yasuhisa. Late male-killing phenomenon found in a Japanese population of the oriental tea tortrix, *Homona magnanima* (Lepidoptera: Tortricidae), **435**
Morrow, Edward H. & Gage, Matthew J.G. Artificial selection and heritability of sperm length in *Gryllus bimaculatus*, **356**
Moyes, C.L. *see* Raybould, A.F.

Nakai, Madoka *see* Morimoto, Sayaka
Nason, John D. *see* Parker, Kathleen C.

Nassar, Jafet M., Hamrick, J.L. & Fleming, Theodore H. Genetic variation and population structure of the mixed-mating cactus, *Melocactus curvispinus* (Cactaceae), **69**
Newbury, H. John *see* Ford-Lloyd, Brian V.
Newton, A.C. *see* Premoli, A.C.

Ono, Akiko *see* Morimoto, Sayaka
Onyabe, David Y. & Conn, Jan E. Genetic differentiation of the malaria vector *Anopheles gambiae* across Nigeria suggests that selection limits gene flow, **647**
Ortiz-Herrera, M.A. *see* Talavera, S.

Packer, Laurence *see* Zayed, Amro
Page Jr, Robert E. *see* Gadau, Jürgen
Palmer, Christianne L. *see* Bidau, Claudio J.
Pardo, Belen G. *see* Jankun, Malgorzata
Parker, Albert J. *see* Parker, Kathleen C.
Parker, John S. *see* De Las Heras, Jose I.
Parker, Kathleen C., Hamrick, J.L., Parker, Albert J. & Nason, John D. Fine-scale genetic structure in *Pinus clausea* (Pinaceae) populations: effects of disturbance history, **99**
Partridge, L. *see* Kennington, W.J.
Paupy, Christophe, Girod, Romain, Salvan, Maximin, Rodhain, François & Failloux, Anna-Bella. Population structure of *Aedes albopictus* from La Réunion Island (Indian Ocean) with respect to susceptibility to a dengue virus, **273**
Pensel, S.M. *see* Colombo, P.C.
Perdices, Anabel, Carmona, José A., Fernández-Delgado, Carlos & Doadrio, Ignacio. Nuclear and mitochondrial data reveal high genetic divergence among Atlantic and Mediterranean populations of the Iberian killifish *Aphanius iberus* (Teleostei: Cyprinodontidae), **314**
Perrot-Minnot, Marie-Jeanne & Werren, John H. Meiotic and mitotic instability of two EMS-produced centric fragments in the haplodiploid wasp *Nasonia vitripennis*, **8**
Petren, Kenneth *see* Keller, Lukas F.
Pitnick, Scott *see* Miller, Gary T.
Premoli, A.C., Souto, C.P., Allnutt, T.R. & Newton, A.C. Effects of population disjunction on isozyme variation in the widespread *Pilgerodendron uviferum*, **337**

Quilichini, Angélique, Debussche, Max & Thompson, John D. Evidence for local outbreeding depression in the Mediterranean island endemic *Anchusa crispa* Viv. (Boraginaceae), **190**

Rab, Petr *see* Jankun, Malgorzata
Rabova, Maria *see* Jankun, Malgorzata
Raybould, A.F. & Moyes, C.L. The ecological genetics of aliphatic glucosinolates, **383**
Raymond, Michel *see* Gazave, Élodie
Remis, M.I. *see* Colombo, P.C.
Reuter, Max *see* Keller, Laurent
Reynolds, Julian D. *see* Gouin, Nicolas
Ridout, M.S., Bell, J.A. & Simpson, D.W. Analysis of segregation data from selfed progeny of allopolyploids, **537**
Robinson, Sarah J.W. *see* Hurst, Gregory D.D.
Rocco, Lucia, Costagliola, Domenico & Stingo, Vincenzo. $TTAGGG)_n$ telomeric sequence in selachian chromosomes, **583**
Rodhain, François *see* Paupy, Christophe
Rokas, Antonis, Atkinson, Rachel J., Brown, Gordon S., West, Stuart A. & Stone, Graham N. Understanding patterns of genetic diversity in the oak gallwasp *Biorhiza pallida*: demographic history or a *Wolbachia* selective sweep? **294**
Rossi, Valeria *see* Gandolfi, Andrea
Rowe, Graham & Beebee, Trevor J.C. Fitness and microsatellite diversity estimates were not correlated in two outbred anuran populations, **558**
Ruiz Rejón, Carmelo *see* De La Herrán, Roberto
Ruiz Rejón, Manuel *see* De La Herrán, Roberto
Rüppell, Olav, Heinze, Jürgen & Hölldobler, Bert. Complex determination of queen body size in the queen size dimorphic ant *Leptothorax rugatulus* (Formicidae: Hymenoptera), **33**
Ruvinsky, Anatoly *see* Flood, Warren D.

Sahara, Ken *see* Marec, František
Salazar, A. *see* Fullaondo, A.
Salvan, Maximin *see* Paupy, Christophe
Sánchez, Antonio *see* Fernández, Rosa
Sanchez, Laura *see* Jankun, Malgorzata
Sanchez, Mara I. *see* Wilkinson, Gerald S.
Sauphanor, Benoît *see* Bouvier, Jean-Charles
Schmid-Hempel, Paul *see* Gadau, Jürgen
Schneller, J. Jakob *see* Landergott, Urs
Searle, Jeremy B. *see* Bidau, Claudio J.
Sharbel, Timothy F. & Mitchell-Olds, Thomas. Recurrent polyploid origins and chloroplast phylogeography in the *Arabis holboellii* complex (Brassicaceae), **59**
Simpson, D.W. *see* Ridout, M.S.
Sorgeloos, Patrick *see* Gajardo, Gonzalo
Souto, C.P. *see* Premoli, A.C.
Souty-Grosset, Catherine *see* Gouin, Nicolas
Starmer, William T. *see* Miller, Gary T.
Stingo, Vincenzo *see* Rocco, Lucia
Stone, Graham N. *see* Rokas, Antonis
Suárez, Juan, Bautista, José M., Almodóvar, Ana & Machordom, Annie. Evolution of the mitochondrial control region in Palaearctic brown trout (*Salmo trutta*) populations: biogeographical role of the Iberian Peninsula, **198**
Sundström, Lotta *see* Keller, Laurent

Talavera, S., Gibbs, P.E., Fernández-Piedra, M.P. & Ortiz-Herrera, M.A. Genetic control of self-incompatibility in *Anagallis monelli* (Primulaceae: Myrsinaceae), **589**

Tazi-Ahnini, Rachid, Mcdonagh, Andrew J.G., Cox, Angela, Messenger, Andrew G., Britton, James E.R., Ward, Simon J., Båvik, Claes O., Duff, Gordon W. & Cork, Michael J. Association analysis of *IL1A* and *IL1B* variants in alopecia areata, **215**

Thingsgaard, Karen. Population structure and genetic diversity of the amphiatlantic haploid peatmoss *Sphagnum affine* (Sphagnopsida), **485**

Thompson, John D. *see* Quilichini, Angélique

Tothová, Alena *see* Marec, František

Traut, Walther *see* Marec, František

Turan, C. *see* Hauser, L.

Ueno, Hidek, Hasegawa, Yuko, Fujiyama, Naoyuki & Katakura, Haruo. Comparison of genetic variation in growth performance on normal and novel host plants in a local population of a herbivorous ladybird beetle, *Epilachna vigintioctomaculata*, **1**

Vandenkoornhuyse, P., Leyval, C. & Bonnin, I. High genetic diversity in arbuscular mycorrhizal fungi: evidence for recombination events, **243**

Veith, M. *see* Johanneson, J.

Vekemans, Xavier *see* Hardy, Olivier J.

Vicario, A. *see* Fullaondo, A.

Virk, Parminder S. *see* Ford-Lloyd, Brian V.

Ward, Simon J. *see* Tazi-Ahnini, Rachid

Werren, John H. *see* Perrot-Minnot, Marie-Jeanne

West, Stuart A. *see* Rokas, Antonis

Wijngaarden, Pieter J. & Brakefield, Paul M. Lack of response to artificial selection on the slope of reaction norms for seasonal polyphenism in the butterfly *Bicyclus anynana*, **410**

Wilkinson, Gerald S. & Sanchez, Mara I. Sperm development, age and sex chromosome meiotic drive in the stalk-eyed fly, *Cyrtodiopsis whitei*, **17**

Wille, Anja *see* Gadau, Jürgen

Williams, Joseph H., Boecklen, William J. & Howard, Daniel J. Reproductive processes in two oak (*Quercus*) contact zones with different levels of hybridization, **680**

Zayed, Amro & Packer, Laurence. High levels of diploid male production in a primitively eusocial bee (Hymenoptera: Halictidae), **631**

Heredity **87** (2001) 717–720

Keyword index

accessory proteins, **511**
Acps, **511**
adaptation, **441**
adaptive landscapes, **363**
additive genetic variance, **129**
additive variance, **400**
Aedes albopictus, **273**
Aegilops sharonensis, **474**
AFLP, **530**
AgNOR-polymorphism, **672**
allozymes, **114**, **284**, **314**, **598**
alopecia areata, **215**
alternative life histories, **33**
alternative splicing, **146**
Anagallis monelli, **589**
ancient asexual, **449**
aneuploid, **59**
Anopheles gambiae, **647**
anuran amphibians, **558**
apomixis, **59**
Arabis holboellii, **59**
arbuscular mycorrhizal (AM) fungi, **243**
Artemia, **172**
artificial selection, **25**, **129**, **356**, **410**
Austropotamobius pallipes, **80**
5-azacytidine, **474**

banding pattern, **537**
B-chromosome, **8**
BFB cycles, **474**
biased substitution, **544**
Bicyclus anynana, **410**
biogeography, **80**, **198**
body size, **33**
Bombus terrestris, **234**
Bonferroni correction, **52**
Boraginaceae, **190**
Brassica, **383**

Cactaceae, **69**
Centaurea, **136**
centric fragment, **8**
centric fusion, **480**
CGH, **659**
chiasmata, **305**
Chlamydomonas, **162**
chloroplast, **59**
Chondrychthian evolution, **583**
chromocentre, **172**
chromomycin A3-banding, **672**
chromosome aberrations, **659**
chromosome breakage, **474**
ciprés de las Guaitecas, **337**
Cladocera, **153**
cline, **400**
clonality, **243**
clone, **153**
Clupea harengus, **621**
coadaption, **530**
coevolution, **428**
competition, **162**
complementary sex determination, **234**
computer simulation, **573**
concerted evolution, **449**
conifer, **337**
conservation genetics, **463**
conservation, **190**
constitutive heterochromatin, **637**
controlled cross, **136**
coregonine salmonids, **672**
cost, **441**
cpDNA diversity, **421**
Crustacea, **80**
Cupressaceae, **337**
cuticular hydrocarbons, **392**
cyprinodontiform, **314**
cytochrome *b*, **294**, **314**

Daphnia, **153**
Darwinula stevensoni, **449**
2-DE, **266**
dengue, **273**
diploid males production, **631**
diploid males, **234**
dispersal, **207**
disturbance history, **99**
D-loop, **198**
DNA methylation, **474**
dominance degree, **456**
dominance variance, **400**
Drosophila, **220**, **392**, **511**
Dryopteris cristata, **344**

earthworms, **598**
ecological zones, **647**
effective population size, **631**
Eisenia, **598**
EM algorithm, **698**

EMS, **8**
endangered species, **257**
environmental emasculation hypothesis, **680**
environmental heterogeneity, **162**
epidemiology, **522**
Epilachna vigintioctomaculata, **1**
epistasis, **363**, **522**
Eucalyptus, **566**
evolutionary potential, **257**
expansion segment, **544**
experimental infection, **273**
expressivity, **146**
extra-pair paternity, **325**

Fagaceae, **284**
female choice, **25**
female-biased sex ratio, **435**
fish cytogenetics, **672**
FISH, **583**
fitness, **511**, **558**, **573**
flow cytometry, **573**
Formica exsecta, **227**
Fragaria × *ananassa*, **537**

gallwasp, **294**
gametocidal chromosomes, **474**
gene dispersal, **99**
gene flow, **314**, **647**
genetic bottleneck, **344**
genetic differentiation, **207**, **273**
genetic distance, **497**
genetic diversity, **69**, **162**, **257**, **485**, **566**
genetic drift, **344**, **485**
genetic hitchhiking, **428**
genetic structure, **69**, **80**, **99**, **114**, **178**, **463**
genetic variation, **1**, **243**, **266**, **344**
genomic relationship, **172**
genotype, **146**
geographic variation, **284**
Geospiza fortis, **325**
glaciation, **485**
Globodera pallida, **266**
glucosinolates, **383**
growth form, **566**
growth, **598**
Gryllus bimaculatus, **356**

habitat fragmentation, **485**
Halictus poeyi, **631**
haplodiploid, **8**
haplotype, **59**
Helix aspersa, **129**
herbivory, **383**
heritability, **25**, **33**, **356**
herring, **621**
heterochromatin, **172**
heterosis, **598**
heterozygosity, **257**, **558**, **598**
hibernation, **441**
HLA, **215**
homomorphic SI, **589**
Homona magnanima, **435**
homoplasy, **613**
horizontal transmission, **435**
host manipulation, **227**
host plants, **1**
hybrid zone, **305**, **680**
hybridization, **136**
Hymenoptera, **631**

Iberian cyprinid, **463**
IL1A, **215**, **215**
inbreeding depression, **178**, **190**, **257**
insecticide resistance, **441**
insecticide, **456**
interleukin-1, **215**
interval mapping, **52**
intraindividual variability, **449**
introgression, **114**
ISH, **672**
island, **190**
isoenzyme, **537**
isozymes, **207**, **373**
ISSR fingerprints, **243**

La Réunion Island, **273**
landrace, **530**
Lepidoptera, **435**
Leptysma argentina, **480**
line crosses, **25**
linkage disequilibrium, **613**
linkage map, **234**
local adaptation, **1**

major histocompability complex, **698**
male-killing, **220**, **435**
male-killing factor, **659**
mammals, **41**
mapping phase unknown, **234**
mate discrimination, **392**
maternal inheritance, **435**
mating relationships, **573**
mating system, **190**
mayfly, **373**
mean d^2, **558**
means analysis, **25**
meiosis, **305**
meiotic drive, **17**

© The Genetics Society of Great Britain, *Heredity*, **87**, 717–720.

meiotic pairing, **659**
Melocactus, **69**
mice, **146**
microsatellite DNA, **647**
microsatellite, **88**, **325**, **558**, **698**
Microtus cabrerae, **637**
migration, **441**
mitochondria, **613**
mitochondrial DNA, **114**, **463**
mitotic instability, **8**
mixed-mating, **69**
molecular phylogenies, **428**
morphological variation, **114**
morphometric variables, **480**
mtDNA, **198**, **314**, **621**
multiple comparisons, **52**
Mus musculus domesticus, **305**
mutagen, **8**
mutation, **146**
Myrsinaceae, **589**

natural selection, **129**
Nigeria, **647**
North America, **153**
Nothofagaceae, **284**
Nothofagus nervosa, **284**
null allele, **136**

oil mallees, **566**
optimal outcrossing, **178**
Orthoptera, **480**
Oryza sativa, **530**
outbreeding depression, **190**
outcrossing rate, **88**
outcrossing, **373**
Ovis canadensis, **698**

parasite resistance, **220**
parent-offspring regression, **325**
parthenogenesis, **153**
Patagonia, **337**
paternity analysis, **88**
PCR-RFLP, **421**
pedigree, **129**
penetrance, **146**
permutation test, **497**
phenotypic plasticity, **33**, **410**
phylogenetic relations, **421**
phylogeny, **314**, **691**
phylogeography, **114**, **294**
Pilgerodendron, **337**
Pinus clausa, **99**
Pinus densiflora, **88**
plant defence, **383**
Poisson distribution, **41**
pollen competition, **680**
pollen dispersal, **88**
pollen flow, **400**
pollen quality, **680**
polygenic resistance, **456**
polymorphic loci, **41**
polymorphism, **215**
polyploid evolution, **573**
polyploid, **59**, **537**
polyploidy, **136**, **522**
population differentiation, **621**
population genetics, **266**, **284**
population history, **344**
population management, **257**
population size, **344**
population structure, **485**
Primulaceae, **589**
probability of gene origin, **129**
Procellionides pruinosus, **428**
progeny array, **373**
protein heterozygosity, **41**
Prunus avium L., **421**

QTL, **530**
quantitative genetics, **363**
quantitative trait loci, **52**
quantitative traits, **530**
quantitative variation, **266**

range expansion, **294**
RAPD markers, **680**
RAPD, **80**, **497**
rDNA ITS1, **449**
rDNA, **544**
reaction norms, **410**
recolonization, **207**
recombination, **243**, **449**, **613**
recurrent evolution, **691**
repeated DNA, **583**
repetitive DNA, **637**
replication slippage, **544**
reproductive barriers, **680**
resistance evolution, **456**
resistance mechanisms, **456**
RFLP, **566**, **621**
Robertsonian fusion, **305**

Salmo trutta, **198**, **207**
Salmonidae, **198**
satellite DNA, **637**, **691**
seasonal polyphenism, **410**
secondary compounds, **383**
secondary structure, **544**

seed flow, **400**
selection, **456**
selective sweep, **294**
self-incompatibility, **589**
selfing, **537**
selfish genetic elements, **220**
seminal fluid, **511**
sex chromosomes, **637**, **659**
sex determination, **631**
sex ratio, **17**, **227**
sex-specific heritability, **325**
sexual isolation, **392**
sexual selection, **480**
sexuality, **153**
shifting-balance theory, **363**
social insects, **33**
soil microbes, **162**
sorting, **162**
Sparidae, **691**
spatial autocorrelation, **178**
spatial autocorrelation, **99**
spatial genetic structure, **497**
speciation, **522**
sperm competition, **356**
sperm length, **356**
sperm, **25**
spermatogenesis, **17**
Sphagnum, **485**
stabilizing selection, **41**
Stenonema femoratum, **373**
stress-resistance, **363**
synaptonemal complex, **659**

taxonomy, **691**
telomere, **583**
terrestrial isopod, **428**
tetrasomic inheritance, **136**
threshold character, **33**
Trillium erectum, **178**
Trillium grandiflorum, **178**
triploids, **573**
tropical trees, **497**
two-dimensional PAGE, **266**
tychoparthenogenesis, **373**

universal primers, **421**

variance, **41**
variation, **511**
vector competence, **273**
Venezuela, **69**
virulence, **227**

wild cherry, **421**
wing pattern, **410**
Wolbachia, **220**, **227**, **294**, **428**